Amendment and Response

Serial No.: 10/729,114 Confirmation No.: 3162 Filed: 5 December 2003

For: WOUND DRESSINGS AND METHODS

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the aboveidentified application:

- 1. (Original) A wound dressing comprising an apertured liquid permeable substrate and an absorbent, nonadherent polymer composition comprising:
 - a hydrophobic organic polymer matrix;
 - an optional plasticizing agent; and
 - hydrophilic organic microparticles.
- 2. (Original) The wound dressing of claim 1 wherein the hydrophobic organic polymer matrix comprises a styrene-isoprene-styrene copolymer, a styrene-butadiene-styrene copolymer, or mixtures thereof.
- 3. (Original) The wound dressing of claim 1 wherein the composition comprises a plasticizing agent.
- 4. (Amended) The wound dressing of claim 1 wherein the microparticles when in a substantially nonhydrated form have an average particle size of 10 microns or less.
- 5. (Amended) The wound dressing of claim 4 wherein the microparticles when in a substantially nonhydrated form have an average particle size of 1 micron or less.
- 6. (Amended) The wound dressing of claim 5 wherein the microparticles when in a substantially nonhydrated form have an average particle size of 0.5 micron or less.

Amendment and Response

Serial No.: 10/729,114 Confirmation No.: 3162 Filed: 5 December 2003

For: WOUND DRESSINGS AND METHODS

7. (Original) The wound dressing of claim 1 wherein the apertured liquid permeable

substrate comprises 1 to 225 apertures per square centimeter.

8. (Original) The wound dressing of claim 1 wherein the apertured liquid permeable

substrate comprises apertures having an average opening size of 0.1 millimeter to 0.5 centimeter.

9. (Original) The wound dressing of claim 1 wherein the microparticles comprise an amine-

containing organic polymer.

10. (Original) The wound dressing of claim 9 wherein the amine-containing organic polymer

microparticles comprise a quaternary ammonium salt of an organic polymer.

11. (Original) The wound dressing of claim 10 wherein the microparticles comprise a

cationic homopolymer of the methyl chloride quaternary salt of 2-(dimethylamino)ethyl

methacrylate.

12. (Original) The wound dressing of claim 1 wherein the microparticles comprise a

copolymer of sodium acrylate and acrylic acid.

13. (Original) The wound dressing of claim 1 wherein the microparticles are in the form of a

dispersion.

14. (Amended) The wound dressing of claim 1 wherein the absorbent, nonadherent polymer

composition further comprises a bioactive agent.

Page 4 of 10

Amendment and Response

Serial No.: 10/729,114 Confirmation No.: 3162 Filed: 5 December 2003

For: WOUND DRESSINGS AND METHODS

15. (Original) The wound dressing of claim 14 wherein the bioactive agent is an

antimicrobial agent.

16. (Original) The wound dressing of claim 1 wherein the polymer composition further

comprises an additive selected from the group consisting of a tackifier, a crosslinking agent, a

stabilizer, a compatibilizer, an extruding aid, a filler, a pigment, a dye, a swelling agent, a chain

transfer agent, and combinations thereof.

17. (Original) The wound dressing of claim 1 wherein the hydrophobic organic polymer

matrix comprises a mixture of two or more polymers.

18. (Original) The wound dressing of claim 1 wherein the microparticles are present in an

amount of 1 wt-% to 60 wt-%, based on the total weight of the polymer composition.

19. (Withdrawn) A wound dressing comprising an apertured liquid permeable substrate and

an absorbent, nonadherent polymer composition comprising:

a hydrophobic organic polymer matrix comprising a styrene-isoprene-styrene copolymer,

a styrene-butadiene-styrene copolymer, or mixtures thereof;

an optional plasticizing agent; and

hydrophilic microparticles comprising an amine-containing organic polymer.

20. (Withdrawn) A wound dressing comprising an apertured liquid permeable substrate and

an absorbent, nonadherent polymer composition comprising:

a hydrophobic organic polymer matrix comprising a styrene-isoprene-styrene copolymer,

a styrene-butadiene-styrene copolymer, or mixtures thereof;

an optional plasticizing agent; and

Amendment and Response

Serial No.: 10/729,114 Confirmation No.: 3162 Filed: 5 December 2003

For: WOUND DRESSINGS AND METHODS

hydrophilic microparticles comprising a sodium polyacrylate copolymer.

- 21. (Original) A method of treating a wound, the method comprising applying the wound dressing of claim 1 to the wound.
- 22. (Withdrawn) A method of treating a wound, the method comprising applying the wound dressing of claim 19 to the wound.
- 23. (Withdrawn) A method of treating a wound, the method comprising applying the wound dressing of claim 20 to the wound.